

TRANSMITTAL LETTER TO THE UNITED STATES

213233US0PCT

DESIGNATED/ELECTED OFFICE (DO/EO/US)

U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR

CONCERNING A FILING UNDER 35 U.S.C. 371

09/926180

INTERNATIONAL APPLICATION NO.

PCT/JP00/02179 /

INTERNATIONAL FILING DATE

4 April 2000 /

PRIORITY DATE CLAIMED

20 April 1999 ✓

TITLE OF INVENTION

FLAVOR PRECURSOR COMPOSITION AND METHOD FOR RELEASING THE FLAVOR COMPONENT

APPLICANT(S) FOR DO/EO/US

WAKABAYASHI Hidehiko et al.

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☒ This is an express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include items (5), (6), (9) and (24) indicated below.
4. ☒ The US has been elected by the expiration of 19 months from the priority date (Article 31).
5. ☒ A copy of the International Application as filed (35 U.S.C. 371 (c) (2))
 - a. ☐ is attached hereto (required only if not communicated by the International Bureau).
 - b. ☒ has been communicated by the International Bureau.
 - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US).
6. ☒ An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)).
 - a. ☒ is attached hereto.
 - b. ☐ has been previously submitted under 35 U.S.C. 154(d)(4).
7. ☒ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371 (c)(3))
 - a. ☐ are attached hereto (required only if not communicated by the International Bureau).
 - b. ☐ have been communicated by the International Bureau.
 - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
 - d. ☒ have not been made and will not be made.
8. ☐ An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
9. ☐ An oath or declaration of the inventor(s) (35 U.S.C. 371 (c)(4)).
10. ☐ An English language translation of the annexes of the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371 (c)(5)).
11. ☒ A copy of the International Preliminary Examination Report (PCT/IPEA/409).
12. ☒ A copy of the International Search Report (PCT/ISA/210).

Items 13 to 20 below concern document(s) or information included:

13. ☐ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
14. ☐ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
15. ☒ A **FIRST** preliminary amendment.
16. ☐ A **SECOND** or **SUBSEQUENT** preliminary amendment.
17. ☐ A substitute specification.
18. ☐ A change of power of attorney and/or address letter.
19. ☐ A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 - 1.825.
20. ☐ A second copy of the published international application under 35 U.S.C. 154(d)(4).
21. ☐ A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4).
22. ☐ Certificate of Mailing by Express Mail
23. ☒ Other items or information:

Request for Consideration of Documents Cited in International Search Report/Notice of Priority
PCT/IB/304/Drawings (3 Sheets)/PCT/IB/308

24. The following fees are submitted:.

BASIC NATIONAL FEE (37 CFR 1.492 (a) (1) - (5)) :

- ☐ Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO **\$1000.00**
- ☒ International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO **\$860.00**
- ☐ International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO **\$710.00**
- ☐ International preliminary examination fee (37 CFR 1.482) paid to USPTO but all claims did not satisfy provisions of PCT Article 33(1)-(4) **\$690.00**
- ☐ International preliminary examination fee (37 CFR 1.482) paid to USPTO and all claims satisfied provisions of PCT Article 33(1)-(4) **\$100.00**

ENTER APPROPRIATE BASIC FEE AMOUNT =**CALCULATIONS PTO USE ONLY****\$860.00**

Surcharge of **\$130.00** for furnishing the oath or declaration later than ☐ 20 ☒ 30 months from the earliest claimed priority date (37 CFR 1.492 (e)).

\$130.00

CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE
Total claims	15 - 20 =	0	x \$18.00
Independent claims	2 - 3 =	0	x \$80.00

\$0.00**\$0.00**Multiple Dependent Claims (check if applicable). ☐**\$0.00****TOTAL OF ABOVE CALCULATIONS =****\$990.00**

☐ Applicant claims small entity status. (See 37 CFR 1.27). The fees indicated above are reduced by 1/2.

\$0.00**SUBTOTAL =****\$990.00**

Processing fee of **\$130.00** for furnishing the English translation later than ☐ 20 ☐ 30 months from the earliest claimed priority date (37 CFR 1.492 (f)).

\$0.00**TOTAL NATIONAL FEE =****\$990.00**

Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31) (check if applicable). ☐

\$0.00**TOTAL FEES ENCLOSED =****\$990.00**

Amount to be:	\$
refunded	
charged	\$

- a. ☒ A check in the amount of **\$990.00** to cover the above fees is enclosed.
- b. ☐ Please charge my Deposit Account No. _____ in the amount of _____ to cover the above fees. A duplicate copy of this sheet is enclosed.
- c. ☒ The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. **15-0030**. A duplicate copy of this sheet is enclosed.
- d. ☐ Fees are to be charged to a credit card. **WARNING:** Information on this form may become public. **Credit card information should not be included on this form.** Provide credit card information and authorization on PTO-2038.

NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.

SEND ALL CORRESPONDENCE TO:

**22850**

Surinder Sachar
Registration No. 34,423

SIGNATURE

Norman F. Oblon

NAME

24,618

REGISTRATION NUMBER

DATE

Sept. 19 2001

09/926180

531 Rec'd PCT/ 19 SEP 2001

213233US-0PCT

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF: :
HIDEHIKO WAKABAYASHI ET AL : ATTN: APPLICATION DIVISION
SERIAL NO: NEW US PCT APPLN :
(Based on PCT NO: JP00/02179)
FILED: HEREWITH : EXAMINER:
FOR: FLAVOR PRECURSOR :
COMPOSITION AND METHOD
FOR RELEASING THE FLAVOR-
COMPONENT

PRELIMINARY AMENDMENT

ASSISTANT COMMISSIONER FOR PATENTS
WASHINGTON, D.C. 20231

SIR:

Prior to examination on the merits, please amend the above-identified application as follows:

IN THE CLAIMS

Please amend the claims as shown on the marked-up copy following this amendment to read as follows:

3. (Amended) A method for releasing the flavor component from the flavor precursor composition as set forth in Claim 1 wherein the sulfide bond in said flavor precursor compound A or B is cleaved using a reducing compound.

4. (Amended) A method for releasing the flavor component from the flavor precursor composition as set forth in Claim 1 wherein the sulfide bond in said flavor

precursor compound A or B is cleaved using a compound exerting its reducing ability via a reversible reaction.

5. (Amended) A method for releasing the flavor component from the flavor precursor composition as set forth in Claim 1 wherein the sulfide bond in said flavor precursor compound A or B is cleaved using a compound having a free mercapto group.

6. (Amended) A method for releasing the flavor component from the flavor precursor composition as set forth in Claim 1 wherein the sulfide bond in said flavor precursor compound A or B is cleaved by heating.

7. (Amended) A method for releasing the flavor component from the flavor precursor composition as set forth in Claim 1 wherein the sulfide bond in said flavor precursor compound A or B is cleaved by altering the pH.

8. (Amended) A method for releasing the flavor component from the flavor precursor composition as set forth in Claim 1 wherein the sulfide bond in said flavor precursor compound A or B is cleaved by an electric reducing action.

Please add Claims 11-15 as follows:

11. (New) A method for releasing the flavor component from the flavor precursor composition as set forth in Claim 2 wherein the sulfide bond in said flavor precursor compound A or B is cleaved using a reducing compound.

12. (New) A method for releasing the flavor component from the flavor precursor composition as set forth in Claim 2 wherein the sulfide bond in said flavor precursor compound A or B is cleaved using a compound exerting its reducing ability via a reversible reaction.

13. (New) A method for releasing the flavor component from the flavor precursor composition as set forth in Claim 2 wherein the sulfide bond in said flavor precursor compound A or B is cleaved using a compound having a free mercapto group.

14. (New) A method for releasing the flavor component from the flavor precursor composition as set forth in Claim 2 wherein the sulfide bond in said flavor precursor compound A or B is cleaved by heating.

15. (New) A method for releasing the flavor component from the flavor precursor composition as set forth in Claim 2 wherein the sulfide bond in said flavor precursor compound A or B is cleaved by altering the pH.

REMARKS

Claims 1-15 are active in the present application. Claims 3-8 have been amended to remove multiple dependencies. Claims 11-15 are new claims. Support for the new claims is found in the original claims. No new matter is added. An action on the merits and allowance of claims is solicited.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.



Norman F. Oblon
Attorney of Record
Registration No. 24,618

Daniel J. Pereira
Registration No. 45,518



22850

(703) 413-3000
Fax #: (703) 413-2220
DJPER/rac
I:\atty\SUKOS\213233US-PR.wpd

Marked-Up Copy

Serial No: _____

Amendment Filed on:

9-19-01

IN THE CLAIMS

Please amend the claims as shown on the marked-up copy following this amendment to read as follows:

3. (Amended) A method for releasing the flavor component from the flavor precursor composition as set forth in Claim 1 [or 2] wherein the sulfide bond in said flavor precursor compound A or B is cleaved using a reducing compound.

4. (Amended) A method for releasing the flavor component from the flavor precursor composition as set forth in Claim 1 [or 2] wherein the sulfide bond in said flavor precursor compound A or B is cleaved using a compound exerting its reducing ability via a reversible reaction.

5. (Amended) A method for releasing the flavor component from the flavor precursor composition as set forth in Claim 1 [or 2] wherein the sulfide bond in said flavor precursor compound A or B is cleaved using a compound having a free mercapto group.

6. (Amended) A method for releasing the flavor component from the flavor precursor composition as set forth in Claim 1 [or 2] wherein the sulfide bond in said flavor precursor compound A or B is cleaved by heating.

7. (Amended) A method for releasing the flavor component from the flavor precursor composition as set forth in Claim 1 [or 2] wherein the sulfide bond in said flavor precursor compound A or B is cleaved by altering the pH.

8. (Amended) A method for releasing the flavor component from the flavor precursor composition as set forth in Claim 1 [or 2] wherein the sulfide bond in said flavor precursor compound A or B is cleaved by an electric reducing action.

Claims 11-15 (New).

331 Rev'd 30/7/01 19 SEP 2001

DESCRIPTION

FLAVOR PRECURSOR COMPOSITION AND METHOD FOR RELEASING
THE FLAVOR COMPONENT

Technical Field

The present invention relates to a method for preserving latently the flavor of products in the fields of fragrances and foods for a prolonged period and for releasing the said flavor at a desired level only when desired, and to novel sulfide compounds capable of being an effective flavor precursor in such method.

Background Art

A large number of studies have been made on the method for preserving, and controlling the release of, a flavor ("Latest food flavor technology", published by INDUSTRIAL TECHNOLOGY SOCIETY, 1988), and microencapsulation, enclosure in matrix, inclusion with a cyclodextrin or equivalent, as well as reaction of an enzyme upon a volatile component precursor such as a glycoside.

It is difficult, however, to control the release level as desired in a physical preserving method, and in a method employing a glycoside, the target compounds are

limited to terpene alcohols and the enzyme may be inactivated when used in a heated system, these being some examples of the problems associated with the prior art.

On the other hand, mercapto group-containing compounds generally have a low flavor threshold, and frequently play an important role in the flavor characteristics of products such as fragrances and foods. For example, mercapto compounds which are furan derivatives are known as contributing greatly to the food flavor of a product such as coffee or meat. Nevertheless, since such mercapto compounds involve difficulties in controlling the flavor release level within an appropriate range because of their low flavor threshold and also in preserving the concentration thereof within a certain range for a prolonged period, a method for preserving and releasing their flavor efficiently have been demanded to be developed.

Disclosure of the Invention

Under the circumstances of the prior art described above, it is an object of the present invention to provide an excellent method for preserving and releasing the flavor effectively which can be used in the fields of fragrances and foods, as well as to provide an excellent flavor precursor (novel sulfide compounds) capable of

preserving and releasing the flavor effectively which can be used in the fields of fragrances and foods.

The present inventors have made an effort to accomplish the object described above and finally found that, by reacting a mercapto group-containing volatile flavor compound (for example, methanethiol, propanethiol, FMT(2-furylmethanethiol), MFT (2-methyl-3-furanthiol) or the like) with a mercapto group-containing non-volatile compound such as cysteine, homocysteine, glutathione, a cysteine-containing peptide, a mercapto group-containing synthetic polymer or the like, to produce the corresponding disulfide form, the volatile flavor compound described above can be imparted with a non-volatile nature which, in turn, allows the volatile flavor compound to be preserved stably for a prolonged period (flavor component preservation), and that a volatile flavor compound once imparted with such non-volatile nature as described above can effect, when desired, the release of the flavor component (the original volatile flavor compound) by cleavage of the S-S bond (disulfide bond) (release of the flavor component), and that, by controlling the cleavage conditions, the release level of the flavor component can be controlled.

In other words, they have found that, by converting

a volatile flavor component compound into the form of a non-volatile compound by means of allowing the former compound to react with another non-volatile compound, the flavor component becomes non-volatile and becomes capable of being preserved stably for a prolonged period, and that the flavor component can be, when desired, released by an easy cleavage of the bond, and that, by altering the conditions, the released amount level of the flavor component can be controlled and the flavor can be released stably over a prolonged period, and on the basis of these findings, established the present invention (referred to as the first embodiment of the present invention).

Accordingly, the first embodiment of the present invention relates to a flavor precursor composition comprising as the active ingredient a flavor precursor compound in which a volatile flavor compound having a mercapto group in the molecule and a non-volatile compound having a mercapto group in the molecule are bound to form a disulfide structure, and to a method for releasing the flavor component from the flavor precursor composition set forth above by cleaving in various ways the disulfide bond of the flavor precursor compound comprised in the flavor precursor compositions.

The present inventors have made a further effort to

accomplish the object described above and found that, by binding chemically the mercapto group of a volatile flavor compound which is a mercapto group-containing furan derivative, such as FMT(2-furylmethanethiol), MFT (2-methyl-3-furanthiol) or the like, to a non-volatile compound, the volatile flavor compound described above can be imparted with a non-volatile nature which can be preserved stably for a prolonged period, that a volatile flavor compound once imparted with such non-volatile nature as described above can effect, when desired, the release of the flavor component (the original volatile flavor compound) by reductive or thermal cleavage of the C-S or S-S bond, and that, by controlling the cleavage conditions, the released amount level of the flavor component can be controlled.

In other words, they have found that, by converting a volatile flavor component compound into the form of a compound according to the present invention, the flavor component becomes non-volatile and becomes capable of being preserved stably for a prolonged period, that the flavor component can be, when desired, released by an easy cleavage of the bond between the both component compounds, and that, by altering the conditions, the released amount level of the flavor component can be controlled and the flavor can be released stably over a prolonged period, and

on the basis of these findings, established the present invention (referred to as the second embodiment of the present invention).

Accordingly, the second embodiment of the present invention relates to a novel sulfide compound which is an organic compound represented by Formula (2) shown below in which R^1H is a non-volatile compound and R^2H is a volatile compound having in the molecule a furan ring structure (including a structure where part or all of the carbon-carbon double bonds thereof are hydrogenated) or a thiophene ring structure (including a structure where part or all of the carbon-carbon double bonds thereof are hydrogenated), said Formula (2) being:



wherein m represents an integer of 1 to 3, R^1H represents an organic compound having a structure in which the functional group R^1 is bound to a hydrogen atom and R^2H represents an organic compound having a structure in which the functional group R^2 is bound to a hydrogen atom.

In this connection, the sulfides of the present invention having the structure of a volatile flavor compound which has been imparted with a non-volatile nature are novel compounds, and include monosulfides (when $m=1$), disulfides (when $m=2$), and trisulfides (when $m=3$).

Among the compounds represented by Formula (2) in

the second embodiment of the invention, those in which m is 2 overlap with the flavor precursor compounds of the first embodiment of the present invention described above.

The present invention will be further described below, being subdivided into the first embodiment and the second embodiment, and detailed in this order. In this connection, the first and second embodiments of the present invention together constitute a group of the inventions so linked as to form a single general inventive concept.

The first embodiment of the present invention will first be described below.

The volatile flavor compounds imparted with a non-volatile nature (flavor component) which constitute a flavor precursor compound contained as an active ingredient in the flavor precursor composition of the present invention are grouped broadly into volatile compounds having in the molecule a furan ring structure and a mercapto group (flavor-presenting furans) and volatile compounds having no furan ring structure but having a mercapto group (flavor-presenting non-furans). As flavor-presenting furans, there may be mentioned FMT

and MFT exemplified above. As flavor-presenting non-furans, there may be mentioned methanethiol, propanethiol and the like.

As non-volatile compounds with which a flavor-presenting furan or a flavor-presenting non-furan is reacted to be imparted with a non-volatile nature, there may be mentioned, for example, mercapto group-containing non-volatile compounds. Such compounds can be for example sulfur-containing amino acids and peptides such as cysteine, homocysteine, glutathione, γ -glutamylcysteine, cysteinylglycine and the like. In this case, each of these compounds binds to a flavor component compound via an S-S bond (disulfide bond).

Incidentally, it is to be noted that there have been known no compounds in the form in which a flavor-presenting furan is imparted with a non-volatile nature by using a non-volatile compound having a mercapto group via a disulfide bond, as exemplified above. On the other hand, there have been indeed known several compounds in the form in which a flavor-presenting non-furan is imparted with a non-volatile nature, but none of them have been known as having an use as a flavor precursor compound such as the one according to the present invention.

A compound of the present invention obtained by imparting a flavor-presenting furan with a non-volatile

nature may be for example produced by reacting a non-volatile disulfide compound with a flavor-presenting furan in an alkali solution.

Next, ways of preparing a flavor precursor composition of the present invention will be described. There are no particular limitations thereon, and a flavor precursor compound according to the present invention alone or, together with an appropriate excipient, may be formulated into a suitable form such as powder, granule, liquid and paste. A flavor precursor compound per se of the present invention, when used as a flavor precursor, is encompassed in the flavor precursor composition of the present invention (in a broad sense), in view of its application.

Finally, a method for using a flavor precursor composition of the present invention will be described. An essential point of the method involves cleaving the disulfide bond between the volatile flavor component compound constituting a flavor precursor compound comprised in a flavor precursor composition of the present invention and the non-volatile compound.

As an example of the method, there is one wherein the disulfide bond is cleaved using a reducing compound (e.g., sodium boron hydride). Specifically, a flavor precursor composition is, when desired, added with a

reducing compound, whereby the disulfide bond can be cleaved.

As another example of the method, there is one wherein the disulfide bond is cleaved using a compound exerting its reducing ability via a reversible reaction (e.g., glucose). Specifically, a flavor precursor composition is added with a compound which exerts its reducing ability, and the resultant mixture is, when desired, placed under the conditions where the compound can express its reducing ability (e.g., heating and altering the pH), whereby the disulfide bond can be cleaved.

As still another example of the method, there is one wherein the disulfide bond is cleaved using a compound having a free mercapto group (e.g., cysteine). In greater detail, a flavor precursor composition is, when desired, is added with a compound having a free mercapto group, whereby the disulfide bond can be cleaved.

Furthermore, that can be done by heating. This is done by merely heating a fragrance or food which has been added with a flavor precursor composition of the present invention.

Still furthermore, that can be done by altering the pH. E.g., a flavor precursor composition is, when desired, raised in pH value with an alkali or the like, whereby

part of the disulfide bonds can be cleaved.

Or, that can be done by an electric reducing action. In greater detail, a flavor precursor composition is, when desired, placed under an electrically negative condition, whereby the disulfide bond can be cleaved.

And, control of the released amount of the flavor component can be effected, e.g., by controlling the amount to be added, of a reducing compound, by controlling the heating conditions, by controlling the change in pH value, by controlling the electrical current, or the like.

The second embodiment of the present invention will be described below.

A volatile flavor compound (flavor component) to be imparted with a non-volatile nature according to the invention is a volatile compound having in the molecule both a furan ring structure and a mercapto group (flavor-presenting furan). As such compounds, there can be mentioned for example FMT and MFT mentioned above.

A non-volatile compound with which a flavor-presenting furan is reacted to be imparted with a non-volatile nature can be for example an amino acid such as alanine. In this case, each of these compounds is bound to a flavor component compound via a C-S bond (sulfide

bond).

Another example of a non-volatile compound is a non-volatile compound having a mercapto group. As such compounds, there can be mentioned for example sulfur-containing amino acids and peptides such as cysteine, homocysteine, glutathione, γ -glutamylcysteine, cysteinylglycine and the like. In this case, each of these compounds binds to a flavor component compound via an S-S bond (disulfide bond).

Still another example of a non-volatile compound is a disulfide bond-containing amino acid or peptide. As such compounds, there can be mentioned for example cystine. In this case, each of these compounds is bound to a flavor component compound via an S-S-S bond (trisulfide bond).

Various sulfide compounds of the present invention described above can be synthesized, specifically by the following procedures;

First, a monosulfide compound can be obtained by reacting a halogenated non-volatile compound with a volatile thiol compound in an alkali/methanol or an aqueous alkali solution.

Second, a disulfide compound can be obtained by binding a non-volatile thiol compound with a volatile thiol compound oxidatively in the presence of oxygen in an alkali solution. Alternatively, it can be obtained by

reacting a non-volatile disulfide compound with a volatile thiol compound in an alkali solution.

Finally, a trisulfide compound can be obtained by a disproportionation of a disulfide compound described above in the presence of CuCl_2 .

The present invention has been described above on the assumption that the compound represented by Formula (2) is one in which R^2H is a volatile compound having a furan ring structure in the molecule. However, a furan ring readily undergoes a conversion into a hydrogenated structure in which part or all of the C-C double bonds are hydrogenated, and the resulting volatile compound containing such structure in the molecule can behave similarly to a furan ring-containing volatile compound insofar as a flavor precursor compound of the present invention is concerned. A volatile compound having a thiophene ring structure in which the oxygen atom in a furan ring is replaced with a sulfur atom, and the volatile compound having a structure in which part or all of the C-C double bonds in the thiophene ring are hydrogenated also behave similarly to a furan ring-containing volatile compound for the purpose of a flavor precursor compound of the present invention. Accordingly, a volatile compound represented by R^2H in the general Formula (2) includes a volatile compound having a

structure in which part or all of the double bonds in the furan ring are hydrogenated as well as one having a thiophene ring structure or a structure in which part or all of the double bonds in the thiophene ring are hydrogenated as described above.

Incidentally, as examples of the structure having a furan ring which, in turn, constitute a sulfide, there can be mentioned functional groups such as 2-Furfuryl, 2-Methyl-3-furyl, 5-Methyl-2-furfuryl, 3-Furyl, 1-(2-Furyl)ethyl, 1-(2-Methyl-3-furylthio)ethyl, 2-Furyl and hydrogenated forms thereof, and as examples of the structure having a thiophene ring, there can be mentioned functional groups such as 2-Thienyl, 2-Methyl-3-thienyl, 5-Methyl-2-thienyl, 3-Thienyl, 1-(2-Thienyl)ethyl, 1-(2-Methyl-3-thienylthio)ethyl, 2-Thienyl and hydrogenated forms thereof.

Next, a method for using a sulfide compound according to the present invention will be described. An essential point of the method involves a reductive or thermal cleavage of the bond between the volatile flavor component compound and the non-volatile compound which are the constituents of the compound of the present invention. Specifically, a reductive cleavage can be for example accomplished using an electric reducing device. A thermal cleavage can be for example accomplished by means of a

simple heating of a fragrance or a food in which a compound according to the present invention has been incorporated.

Controlling the released amount level of the flavor component by altering the conditions can be for example accomplished as follows. I.e., the controlling can be effected by altering the current and the current sending time period in the case of electric reduction, and by altering the heating temperature and heating time period in the case of thermal cleavage.

Finally, distribution of a novel sulfide compound of the present invention will be described. The compound may be distributed as a flavor precursor compound *per se* or as a flavor precursor composition containing the compound as an active ingredient.

The form during distribution is not particularly limited and can be of a pure material or in an appropriate formulation with an appropriate excipient such as powder, granule, liquid and paste.

Brief Description of the Drawings

Figure 1 shows a chromatogram of a reaction mixture containing a compound of the present invention (Example 4).

Figure 2 shows an ESI-MS spectrum of the component corresponding to Peak A in Figure 1 (Example 4).

Figure 3 shows a conceptual exemplification of an electric reducing device capable of being used for releasing the flavor component from a flavor precursor compound of the present invention.

Best Mode for Carrying Out the Invention

The present invention will be further described with reference to the following examples which are not intended to restrict the invention, and the variation and the modification of the present invention without departing the gist described above and below are all included in the present invention.

Example 1 (Synthesis of Cys-MFT)

100 mg of cystine was dissolved in 50 ml of an aqueous 0.1 N solution of sodium hydroxide. The resulting solution was combined with 10 ml of a methanol solution containing 40 mg of MFT (2-methyl-3-furanthiol), and the mixture was stirred for reaction under a nitrogen atmosphere at room temperature for 5 days.

After the reaction, the reaction solution was neutralized to pH 7 and washed twice with 50 ml of ether (100 ml in total), and then the aqueous layer was concentrated to dryness using a rotary evaporator. The concentrate thus obtained was dissolved in 10 ml of

distilled water and applied onto a solid phase extraction column (BONDELUTE C18, 5.0 g packing, ex VARIAN) to adsorb the target compound. The solid phase extraction column was washed twice with 20 ml of distilled water (40 ml in total), and then the adsorbed component was eluted with 20 ml of methanol. The resulting methanol solution thus obtained was frozen rapidly using liquid nitrogen and dried in vacuo to obtain 10.3 mg of Cys-MFT (cysteine 2-methyl-3-furanthiol disulfide, i.e., S-(2-methyl-3-furylthio)-L-cysteine) as a white powder.

Example 2 (Synthesis of Cys-FMT)

Example 1 was repeated except that 40 mg of FMT (2-furylmethanethiol) was used instead of the MFT, to obtain 12.5 mg of Cys-FMT (cysteine 2-furylmethanethiol disulfide, i.e., S-(2-furfurylthio)-L-cysteine) as a white powder.

Example 3 (Synthesis of GSH-MFT)

Example 1 was repeated except that 300 mg of oxidized -form glutathione was used instead of the cystine, to obtain 18.9 mg as a white powder.

Example 4 (Synthesis of S-(3-Furyl)-L-cysteine)

1.86 g (15.4 mmol) of L-cysteine (ex AJINOMOTO) was suspended in 15 ml of distilled water and stirred on an

ice bath with bubbling with nitrogen. After 30 minutes, 0.68 g (17 mmol) of sodium hydroxide was added, resulting in a uniform dissolution of the L-cysteine. After the complete dissolution of the sodium hydroxide, 2.5 g (17 mmol) of 3-bromofuran (ex Aldrich) was added thereto and stirred at room temperature for 5 hours. After the reaction, 6N hydrochloric acid was added to adjust the solution to pH 2.0. After a trace amount of a precipitate and the unreacted 3-buromofuran were removed by decanting from the reaction mixture, the mixture was applied onto an ODS solid phase extraction column (ex VARIANT) to remove any colored substances.

A method for separating the target product S-(3-furyl)-L-cysteine from the reaction solution from which the colored substances had been removed was then studied. The reaction solution obtained was subjected to separation by HPLC under the following conditions: "Capcell Pak C-18" (inner diameter: 2.0 mm, and length: 150 mm, ex SHISEIDO) being employed as the column, the column temperature being 40°C, the eluting solution being an acetonitle/water mixture, used with a gradient from 5 to 50 % acetonitrile in water over an initial 20 minutes at a flow rate of 0.2 ml/min, and the detection being carried out by ESI-MS having a detection ion mass range of 100 to 500, which gave the chromatogram shown in Figure 1.

The ESI-MS (Electron Spray Ionization-Mass Spectrometry) spectra of the component corresponding to Peak A in Figure 1 were measured, and the results revealed the presence of a $m/z=188$ fragment which corresponded to MH^+ of the target component as shown in Figure 2.

Example 5 (Use in consommé soup (1))

A commercially available solid beef consommé soup was supplemented with Cys-MFT in such amount that its concentration would be 4 ppm when ingested, and dissolved in hot water to prepare a consommé soup, which was kept at 70°C in an open system, and then compared with a non-supplemented soup. The supplemented soup (present invention) exhibited a markedly more intense beef broth-like flavor when compared with the non-supplemented soup (control).

Another soup supplemented in the similar manner, but only with MFT in an amount giving a 0.2 ppm concentration upon ingestion (control), exhibited a more intense flavor than the Cys-MFT-supplemented soup immediately after supplementation, but subsequently it became weakened in flavor rapidly as the time elapsed to a level lower than that in the Cys-MFT-supplemented soup (present invention) after 10 minutes.

Example 6 (Use in instant coffee)

A commercially available (freeze-dried) instant coffee was added with Cys-FMT in such amount that its concentration would be 1 ppm when ingested, and then with hot water to prepare a coffee, which was kept at 70°C in an open system and then compared with a non-added coffee. The added coffee (present invention) exhibited a markedly more intense freshly-brewed coffee-like flavor when compared with the non-added coffee (control).

Another coffee added in the similar manner, but only with FMT in an amount giving a 0.05 ppm concentration upon ingestion (control), exhibited a more intense flavor than the Cys-FMT-added coffee (present invention) immediately after addition, but subsequently it became weakened in flavor rapidly as the time elapsed to a level lower than that in the Cys-FMT-added coffee after 10 minutes.

Example 7 (Use in consommé soup (2))

A commercially available solid beef consommé soup was supplemented with GSH-MFT in such amount that its concentration would be 8 ppm when ingested, and dissolved in hot water to prepare a consommé soup, which was kept at 70°C in an open system, and then compared with a non-supplemented soup. The supplemented soup (present invention) exhibited a markedly more intense beef broth-

like flavor when compared with the non-supplemented soup (control).

Another soup supplemented in the similar manner, but only with MFT in an amount giving a 0.2 ppm concentration upon ingestion (control), exhibited a more intense flavor than the GSH-MFT-supplemented soup (present invention) immediately after supplementation, but subsequently it became weakened in flavor rapidly as the time elapsed to a level lower than that in the GSH-MFT-supplemented soup (present invention) after 10 minutes.

Example 8 (Release of the flavor component using an electric reducing device)

An aqueous 0.1 % solution of Cys-FMT was placed in an electric reducing device exemplified in Figure 3, which was connected to a constant current power supply. By passing a 2 mA electric current through this device, the Cys-FMT was reduced electrically to generate FMT, resulting in a coffee-like flavor. By turning off the current, the generation of FMT was terminated, indicating the possibility of controlling the level of the flavor component generated.

The release of a flavor in this manner can be utilized, for example, for fragrance products at shops and offices or for a domestic use.

Industrial Applicability

According to the present invention, the flavor of a product in the fields of fragrances and foods can readily be preserved for a prolonged period latently and such flavor can be released at a desired level only when desired.

CLAIMS

1. A flavor precursor composition comprising as an active ingredient a flavor precursor compound (flavor precursor compound A) in which a volatile flavor compound having a mercapto group in the molecule and a non-volatile compound having a mercapto group in the molecule are bound to form a disulfide structure, or a flavor precursor compound (flavor precursor compound B) which is an organic compound represented by Formula (1) shown below in which R^1H is a non-volatile compound and R^2H is a volatile compound having in the molecule a furan ring structure (including a structure where part or all of the carbon-carbon double bonds thereof are hydrogenated) or a thiophene ring structure (including a structure where part or all of the carbon-carbon double bonds thereof are hydrogenated), said Formula (1) being:



wherein n represents an integer of 1 or 3, R^1H represents an organic compound having a structure in which the functional group R^1 is bound to a hydrogen atom and R^2H represents an organic compound having a structure in which the functional group R^2 is bound to a hydrogen atom.

2. The flavor precursor composition as set forth in Claim 1 wherein said non-volatile compound in said flavor

precursor compound A or B is a member selected from the group consisting of cysteine, homocysteine, γ -glutamylcysteine, glutathione and cysteinylglycine.

3. A method for releasing the flavor component from the flavor precursor composition as set forth in Claim 1 or 2 wherein the sulfide bond in said flavor precursor compound A or B is cleaved using a reducing compound.

4. A method for releasing the flavor component from the flavor precursor composition as set forth in Claim 1 or 2 wherein the sulfide bond in said flavor precursor compound A or B is cleaved using a compound exerting its reducing ability via a reversible reaction.

5. A method for releasing the flavor component from the flavor precursor composition as set forth in Claim 1 or 2 wherein the sulfide bond in said flavor precursor compound A or B is cleaved using a compound having a free mercapto group.

6. A method for releasing the flavor component from the flavor precursor composition as set forth in Claim 1 or 2 wherein the sulfide bond in said flavor precursor compound A or B is cleaved by heating.

7. A method for releasing the flavor component from the flavor precursor composition as set forth in Claim 1 or 2 wherein the sulfide bond in said flavor precursor compound A or B is cleaved by altering the pH.

8. A method for releasing the flavor component from the flavor precursor composition as set forth in Claim 1 or 2 wherein the sulfide bond in said flavor precursor compound A or B is cleaved by an electric reducing action.

9. A novel sulfide compound which is an organic compound represented by Formula (2) shown below in which R^1H is a non-volatile compound and R^2H is a volatile compound having in the molecule a furan ring structure (including a structure where part or all of the carbon-carbon double bonds thereof are hydrogenated) or a thiophene ring structure (including a structure where part or all of the carbon-carbon double bonds thereof are hydrogenated), said Formula (2) being:



wherein m represents an integer of 1 to 3, R^1H represents an organic compound having a structure in which the functional group R^1 is bound to a hydrogen atom and R^2H represents an organic compound having a structure in which the functional group R^2 is bound to a hydrogen atom.

10. The novel sulfide compound as set forth in Claim 9 wherein R^1 is identical to R which forms RSH which, in turn, represents a member selected from the group consisting of cysteine, homocysteine, glutathione, γ -glutamylcysteine and cysteinylglycine.

ABSTRACT


Herein is disclosed a flavor precursor composition comprising as an active ingredient a flavor precursor compound (flavor precursor compound A) in which a volatile flavor compound having a mercapto group in the molecule and a non-volatile compound having a mercapto group in the molecule are bound to form a disulfide structure, or a flavor precursor compound (flavor precursor compound B) which is an organic compound represented by Formula (1) shown below in which R¹H is a non-volatile compound and R²H is a volatile compound having in the molecule a furan ring structure (including a structure where part or all of the carbon-carbon double bonds thereof are hydrogenated) or a thiophene ring structure (including a structure where part or all of the carbon-carbon double bonds thereof are hydrogenated), said Formula (1) being:




which composition can preserve, and release, the flavor effectively and can be used in the fields of fragrances and foods.

1 / 3

Fig. 1




2 / 3



3 / 3

Fig. 3



As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated next to my name.

I believe I am an original, first and joint inventor of the subject matter which is claimed and for which a patent is sought on the invention entitled Flavor Precursor Composition and Method for Releasing the Flavor Component, the specification of which was filed on September 19, 2001 as United States Application Number 09/926,180, and was filed as PCT International Application Number PCT/JP00/02179 filed on April 4, 2000.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority under Title 35, United States Code, Section 119 (a) - (d) of any foreign application(s) for patent listed below and have also identified below, by checking the box, any foreign application for patent having a filing date before that of the application on which priority is claimed.

Priority Claimed

☐ No☐ No

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s), or Section 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code Section 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of application.

(Status: Patented, Pending, Abandoned)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith:

Norman F. Oblon, Reg. No. 24,618; Marvin J. Spivak, Reg. No. 24,913; C. Irvin McClelland, Reg. No. 21,124; Gregory J. Maier, Reg. No. 25,599; Arthur I. Neustadt, Reg. No. 24,854; Richard D. Kelly, Reg. No. 27,757; James D. Hamilton, Reg. No. 28,421; Eckhard H. Kuesters, Reg. No. 28,870; Robert T. Pous, Reg. No. 29,099; Charles L. Gholz, Reg. No. 26,395; William E. Beaumont, Reg. No. 30,996; Jean-Paul Lavalleye, Reg. No. 31,451; Stephen G. Baxter, Reg. No. 32,884; Richard L. Treanor, Reg. No. 36,379; Steven P. Weihrouch, Reg. No. 32,829; John T. Goolkasian, Reg. No. 26,142; Richard L. Chinn, Reg. No. 34,305; Steven E. Lipman, Reg. No. 30,011; Carl E. Schlier, Reg. No. 34,426; James J. Kulbaski, Reg. No. 34,648; Richard A. Neifeld, Reg. No. 35,299; J. Derek Mason, Reg. No. 35,270; Surinder Sachar, Reg. No. 34,423; Jeffrey B. McIntyre, Reg. No. 36,867; William T. Enos, Reg. No. 33,128; Michael E. McCabe, Jr., Reg. No. 37,182; Bradley D. Lytle, Reg. No. 40,073; and Michael R. Casey, Reg. No. 40,294, with full powers of substitution and revocation.

Send Correspondence to:

OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT, P.C.
FOURTH FLOOR
1755 JEFFERSON DAVIS HIGHWAY
ARLINGTON, VIRGINIA 22202 U.S.A.

Direct Telephone Calls to: (703) 413-3000

Full name of first joint inventor: Hidehiko WAKABAYASHI

Inventor's signature

Date

Hidehiko Wakabayashi

September 26, 2001

Residence: c/o Ajinomoto Co., Inc., Food Research & Development Laboratories,

1-1, Suzuki-cho, Kawasaki-ku, Kawasaki-shi, Kanagawa-ken 210-8681 JAPAN

Citizenship: Japan —

JPX

Post Office Address: same as the above residence.

28
 "OFFICE OF THE ATTORNEY GENERAL"

2-00 Full name of second joint inventor: Hirokazu KAWAGUCHI
Inventor's signature Date

Hirokazu Kawaguchi September 26, 2001
Residence: c/o Ajinomoto Co., Inc., Seasoning Research & Development Department,
1-1, Suzuki-cho, Kawasaki-ku, Kawasaki-shi, Kanagawa-ken 210-8681 JAPAN
Citizenship: Japan JPX
Post Office Address:same as the above residence.

4-00 Full name of fourth joint inventor: Yoichi UEDA
Inventor's signature Date

Yoichi Ueda September 26, 2001
Residence: c/o Ajinomoto Co., Inc., Seasoning Research & Development Department,
1-1, Suzuki-cho, Kawasaki-ku, Kawasaki-shi, Kanagawa-ken 210-8681 JAPAN
Citizenship: Japan JPX
Post Office Address:same as the above residence.

0926180-1000
T02T0T 08T92600

1-01 Full name of third joint inventor: Kyousuke ISHIGURO

Ninth joint inventor's signature Date

Residence: c/o Food Research & Development Laboratories, Ajinomoto Co., Inc.,
1-1, Suzuki-cho, Kawasaki-ku, Kawasaki-shi, Kanagawa 210-8681 JAPAN

Citizenship: JAPAN ✓ JPX

Post Office Address: same as the above residence.

1-11 Full name of a first joint heir of Kyousuke ISHIGURO: Minori ISHIGURO

First joint heir's signature Date

Minori ISHIGURO

September 26, 2001

Residence: 1697-4, Mutsu-uracho, Kanazawa-ku, Yokohama-shi, Kanagawa 236-0016 JAPAN JPX

Citizenship: JAPAN ✓

Post Office Address: same as the above residence.

2-11 Full name of a second joint heir of Kyousuke ISHIGURO: Tatsuya ISHIGURO

Second joint heir's signature Date

Tatsuya ISHIGURO

September 26, 2001

Residence: 26-6, Kanamachi 3-chome, Katsushika-ku, Tokyo-125-0042 JAPAN

Citizenship: JAPAN ✓

Post Office Address: same as the above residence.

3-11 Full name of a third joint heir of Kyousuke ISHIGURO: Shouji ISHIGURO

Third joint heir's signature Date

Shouji ISHIGURO

September 26, 2001

Residence: 1697-4, Mutsu-uracho, Kanazawa-ku, Yokohama-shi, Kanagawa 236-0016 JAPAN JPX

Citizenship: JAPAN ✓

Post Office Address: same as the above residence.

4-11 Full name of a fourth joint heir of Kyousuke ISHIGURO: Youhei ISHIGURO

Fourth joint heir's signature Date

Youhei ISHIGURO

September 26, 2001

Residence: 815-1, Tatemachi, Hachioji-shi, Tokyo, 193-0944 JAPAN JPX

Citizenship: JAPAN ✓

Post Office Address: same as the above residence.